ELSEVIER

Analytica Chimica Acta 302 (1995) 375–378

ANALYTICA CHIMICA ACTA

Author Index

Abadía, J., see Abián, J. 215
Abián, J.
—, Susín, S., Abadía, J. and Gelpí, E.
Thermospray and electrospray mass spectrometry of flavocoenzymes. Analysis of riboflavin sulphates from sugar beet 215
Adeloju, S.B.
— and Young, T.M.
Anodic stripping potentiometric determination of antimony in environmental materials 225
Ahlgrén, M., see Peräniemi, S. 89
Alder, J.F., see Benmakroha, F. 255
Alexandre, I., see Moris, P. 53
Asuero, A.G., see Ràfols, C. 355
Avidad, R., see Capitán-Vallvey, L.F. 193

Badaoui, F.Z.
— and Bourson, J.
Chromoionophores derived from a coumarin linked to monoaza- and diaza-crown ethers: formation of divalent 3d metal complexes 341
Benmakroha, F.
— and Alder, J.F.
Development of humidity correction algorithm for surface acoustic wave sensors. Part 2. Mathematical model for water and nitrobenzene co-adsorption on aminopropyltriethoxysilane coated surface acoustic wave sensors 255
Bernard, C., see Town, R.M. 1
Bosch, E.
—, Ràfols, C. and Rosés, M.
Variation of acidity constants and pH values of some organic acids in water–2-propanol mixtures with solvent composition. Effect of preferential solvation 109
Bosch, E., see Ràfols, C. 355
Bosch-Reig, F., see Campíns-Falcó, P. 323
Bourson, J., see Badaoui, F.Z. 341
Bowlin, D.W., see Johll, M. 133
Brandes, L., see Jürgens, H. 289
Buffle, J., see Town, R.M. 1
Bujard, F., see Town, R.M. 1

Campíns-Falcó, P.
—, Verdú-Andrés, J., Bosch-Reig, F. and Molíns-Legua, C.
Generalized H-point standard additions method for analyte determinations in unknown samples 323
Capitán-Vallvey, L.F.
—, Del Olmo, M., Avidad, R., Navalón, A., De Orbe, I. and Vilchez, J.L.
Close overlapping discrimination of polycyclic aromatic hydrocarbons by synchronous scanning at variable-angle solid-phase spectrofluorimetry 193
Cerdà, V., see Cladera, A. 297
Chen, H.-P., see Xu, J.-G. 207
Chen, Z.-S., see Hiraide, M. 103
Chiang, D.W.L., see Hauser, P.C. 241
Chichila, T.M.P., see Jayatilaka, A. 147
Cladera, A.
—, Tomàs, C., Gómez, E., Estela, J.M. and Cerdà, V.
A new instrumental implementation of sequential injection analysis 297
Compañó, R.
—, Granados, M., Leal, C. and Prat, M.D.
Determination of triphenyltin in sea water samples by liquid chromatography with fluorimetric detection 185
Correia dos Santos, M.M., see Lopes da Conceição, A.C. 97
Cosano, J.S.
—, Luque de Castro, M.D. and Valcárcel, M.
Automatic continuous-flow determination of sulphite in the presence of a high concentration of thiosulphate 269
Crouch, S.R., see Hsieh, Y.-S. 132

Davis, J.M., see Johll, M. 133
Del Olmo, M., see Capitán-Vallvey, L.F. 193
De Orbe, I., see Capitán-Vallvey, L.F. 193
Drummond, L.
— and Maher, W.
Determination of phosphorus in aqueous solution via formation of the phosphoantimonylmolybdenum blue complex. Re-examination of optimum conditions for the analysis of phosphate 69

Ephraim, J.H., see Marinsky, J.A. 309
Espinosa-Mansilla, A., see Guiberteau Cabanillas, A. 9
Estela, J.M., see Cladera, A. 297

Fujiwara, T., see Sakai, H. 173
Fukushima, M.
—, Tanaka, S., Hasebe, K., Taga, M. and Nakamura, H.
Interpretation of the acid–base equilibrium of humic acid by a continuous pK distribution and electrostatic model 365

Gaikwad, A.
—, Silva, M. and Pérez-Bendito, D.
Selective stopped-flow determination of manganese with luminol in the absence of hydrogen peroxide 275
Galeano Diaz, T., see Guiberteau Cabanillas, A. 9
Gao, D.
—, Gu, J., Yu, R.-Q. and Zheng, G.-D.
Substituted metalloporphyrin derivatives as anion carrier for PVC membrane electrodes 263
García Alvarez-Coque, M.C., see Torres Cartas, S. 163
Gelpí, E., see Abián, J. 215
Gokan, A., see Hasebe, Y. 21
Gómez, E., see Cladera, A. 297
Gorodkiewicz, E., see Kojło, A. 283
Gorton, L., see Smolander, M. 233
Granados, M., see Compañó, R. 185
Gu, J., see Gao, D. 263
Guiberteau Cabanillas, A.
—, Galeano Diaz, T., Espinosa-Mansilla, A., López-de-Alba, P.L. and Salinas Lopez, F.
Abilities of differentiation and partial least squares methods in the analysis by differential pulse polarography. Simultaneous determination of furazolidone and furaltadone 9
Guo, X.-Q., see Xu, J.-G. 207

Hasebe, K., see Fukushima, M. 365
Hasebe, Y.
—, Gokan, A. and Uchiyama, S.
Chemically amplified xanthine and hypoxanthine sensors based on substrate recycling between the enzyme–substrate complex and substrate 21
Hauser, P.C.
—, Chiang, D.W.L. and Wright, G.A.
A potassium-ion selective electrode with valinomycin based poly(vinyl chloride) membrane and a poly(vinyl ferrocene) solid contact 241
Hiraide, M.
—, Chen, Z.-S., Sugimoto, K. and Kawaguchi, H.
Coprecipitation with tin(IV) hydroxide followed by removal of tin carrier for the determination of trace heavy metals by graphite-furnace atomic absorption spectrometry 103
Horike, N., see Ishida, J. 61
Hsieh, Y.-S.
— and Crouch, S.R.
Corrigendum to "Two-rate method for simultaneous determinetion of L-amino acid mixtures" [*Anal. Chim. Acta*, 296 (1994) 333–341] 132

Iinuma, F., see Mawatari, K.-i. 179
Imasaka, T., see Noda, H. 335
Ishida, J.
—, Horike, N. and Yamaguchi, M.
6-Isothiocyanatobenzo[*g*]phthalazine-1,4(2*H*,3*H*)-dione as a highly sensitive chemiluminescence derivatization reagent for amines in liquid chromatography 61

Jayatilaka, A.
—, Poole, S.K., Poole, C.F. and Chichila, T.M.P.
Simultaneous micro steam distillation/solvent extraction for the isolation of semivolatile flavor compounds from cinnamon and their separation by series coupled-column gas chromatography 147
Johll, M.
—, Bowlin, D.W. and Davis, J.M.
Verification of the extended statistical model of overlap: application to gas chromatograms containing variable peak densities 133
Johnson, P., see Koziet, J. 29
Joppien, R., see Jürgens, H. 289
Jürgens, H.
—, Brandes, L., Joppien, R., Siebold, M., Schubert, J., Wu, X., Kretzmer, G. and Schügerl, K.
Development of enzyme cartridge flow-injection analysis for industrial process monitoring. Part II. Application for monitoring of microorganism cultivations 289

Karube, I., see Lee, T.-y. 81
Kawaguchi, H., see Hiraide, M. 103
Kojło, A.
— and Gorodkiewicz, E.
Simultaneous spectrophotometric determination of nitrite and nitrate in a flow-injection system 283
Koziet, J.
—, Rossmann, A., Martin, G.J. and Johnson, P.
Determination of the oxygen-18 and deuterium content of fruit and vegetable juice water. An European inter-laboratory comparison study 29
Kretzmer, G., see Jürgens, H. 289
Kubista, M.
—, Sjöback, R. and Nygren, J.
Quantitative spectral analysis of multicomponent equilibria 121
Kumamaru, T., see Sakai, H. 173

Lau, O.-W.
— and Mok, C.-S.
Indirect conductometric detection of amino acids after liquid chromatographic separation. Part II. determination of monosodium glutamate in foods 45
Leal, C., see Compañó, R. 185
Lee, T.-y.
—, Tsuzuki, M., Takeuchi, T., Yokoyama, K. and Karube, I.
Quantitative determination of cyanobacteria in mixed phytoplankton assemblages by an in vivo fluorimetric method 81
Lopes da Conceição, A.C.
—, Simões Gonçalves, M.L.S. and Correia dos Santos, M.M.
Rapid determinations of complexing stability constants by gradient flow-injection titration 97
López-de-Alba, P.L., see Guiberteau Cabanillas, A. 9
Luque de Castro, M.D., see Cosano, J.S. 269

Maher, W., see Drummond, L. 69
Marinsky, J.A.
—, Reddy, M.M., Ephraim, J.H. and Mathuthu, A.S.
Computational scheme for the prediction of metal ion binding by a soil fulvic acid 309

Marko-Varga, G., see Smolander, M. 233
Martin, G.J., see Koziet, J. 29
Mathuthu, A.S., see Marinsky, J.A. 309
Mawatari, K.-i.
—, Oshida, K., Iinuma, F. and Watanabe, M.
Determination of quinolinic acid in human urine by liquid chromatography with fluorimetric detection 179
Mok, C.-S., see Lau, O.-W. 45
Molíns-Legua, C., see Campíns-Falcó, P. 323
Moris, P.
—, Alexandre, I., Roger, M. and Remacle, J.
Chemiluminescence assays of organophosphorus and carbamate pesticides 53

Nagashima, K., see Nakano, N. 201
Nakamura, H., see Fukushima, M. 365
Nakamura, K., see Noda, H. 335
Nakano, N.
—, Sugata, K. and Nagashima, K.
Development of a monitoring tape for ammonia gas in air by fluorescence detection 201
Navalón, A., see Capitán-Vallvey, L.F. 193
Noda, H.
—, Nakamura, K., Takada, M. and Imasaka, T.
Supersonic jet absorption spectrometry utilizing a xenon flash-lamp and a monochromator equipped with a photodiode array 335
Nygren, J., see Kubista, M. 121

Oshida, K., see Mawatari, K.-i. 179

Parthasarathy, N., see Town, R.M. 1
Peräniemi, S.
— and Ahlgrén, M.
Optimized arsenic, selenium and mercury determinations in aqueous solutions by energy dispersive x-ray fluorescence after preconcentration onto zirconium-loaded activated charcoal 89
Pérez-Bendito, D., see Gaikwad, A. 275
Poole, C.F., see Jayatilaka, A. 147
Poole, S.K., see Jayatilaka, A. 147
Prat, M.D., see Compañó, R. 185
Praus, P.
Possibilities of simple steam distillation in combination with capillary isotachophoresis for the determination of chlorophenols in river and industrial waste waters 39

Ràfols, C.
—, Bosch, E., Rosés, M. and Asuero, A.G.
Autoprotolysis in aqueous organic solvent mixtures. Water–amide and water–amine binary systems 355
Ràfols, C., see Bosch, E. 109
Reddy, M.M., see Marinsky, J.A. 309
Remacle, J., see Moris, P. 53
Rodak, S., see Town, R.M. 1
Roger, M., see Moris, P. 53
Rosés, M., see Bosch, E. 109
Rosés, M., see Ràfols, C. 355
Rossmann, A., see Koziet, J. 29

Sadik, O.A.
— and Wallace, G.G.
Corrigendum to "Pulsed amperometric detection of proteins using antibody containing conducting polymers" [*Anal. Chim. Acta*, 279 (1993) 209–212] 131
Sakai, H.
—, Fujiwara, T. and Kumamaru, T.
Sensitivity enhancement in the determination of silicate by ion-exclusion chromatography using luminol chemiluminescence detection 173
Salinas Lopez, F., see Guiberteau Cabanillas, A. 9
Schubert, J., see Jürgens, H. 289
Schügerl, K., see Jürgens, H. 289
Siebold, M., see Jürgens, H. 289
Silva, M., see Gaikwad, A. 275
Simões Gonçalves, M.L.S., see Lopes da Conceição, A.C. 97
Sjöback, R., see Kubista, M. 121
Smolander, M.
—, Marko-Varga, G. and Gorton, L.
Aldose dehydrogenase-modified carbon paste electrodes as amperometric aldose sensors 233
Sugata, K., see Nakano, N. 201
Sugimoto, K., see Hiraide, M. 103
Susín, S., see Abián, J. 215

Taga, M., see Fukushima, M. 365
Takada, M., see Noda, H. 335
Takeuchi, T., see Lee, T.-y. 81
Tanaka, S., see Fukushima, M. 365
Tercier, M.-L., see Town, R.M. 1
Tomàs, C., see Cladera, A. 297
Torres Cartas, S.
—, García Alvarez-Coque, M.C. and Villanueva Camañas, R.M.
Determination of anabolic steroids in pharmaceuticals by liquid chromatography with a microemulsion of sodium dodecyl sulfate and pentanol as mobile phase 163
Town, R.M.
—, Tercier, M.-L., Parthasarathy, N., Bujard, F., Rodak, S., Bernard, C. and Buffle, J.
A versatile macro- to micro-size stationary mercury drop electrode 1
Tsuzuki, M., see Lee, T.-y. 81

Uchiyama, S., see Hasebe, Y. 21

Valcárcel, M., see Cosano, J.S. 269
Verdú-Andrés, J., see Campíns-Falcó, P. 323
Vilchez, J.L., see Capitán-Vallvey, L.F. 193
Villanueva Camañas, R.M., see Torres Cartas, S. 163

Wallace, G.G., see Sadik, O.A. 131
Watanabe, M., see Mawatari, K.-i. 179

Weigl, B.H.
— and Wolfbeis, O.S.
New hydrophobic materials for optical carbon dioxide sensors based on ion pairing 249
Wolfbeis, O.S., see Weigl, B.H. 249
Wright, G.A., see Hauser, P.C. 241
Wu, X., see Jürgens, H. 289

Xu, J.-G.
—, Chen, H.-P., Guo, X.-Q. and Zhao, Y.-B.
Determination of reserpine by in situ sensitized photochemical spectrofluorimetry 207

Yamaguchi, M., see Ishida, J. 61
Yamamoto, K.
Sensitive determination of quaternary ammonium salts by extraction-spectrophotometry of ion associates with bromophenol blue anion and coextraction 75
Yokoyama, K., see Lee, T.-y. 81
Young, T.M., see Adeloju, S.B. 225
Yu, R.-Q., see Gao, D. 263

Zhao, Y.-B., see Xu, J.-G. 207
Zheng, G.-D., see Gao, D. 263